

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-10-11-05	MSF Control	20	9912170037	Mask Scratched
11-11-05	MSF Control	20	9912170037	Mask Scratched

Inspected By: CO3. M. Appleby
 Incoming Officer - Print & Sign

CO2 J.
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-10-11-05	MSF Control	20	0002080553	Mask Scratched
11-11-05	MSF Control	20	0002080553	Hose not connected to tank

Inspected By: CO3. M. Appleby
 Incoming Officer - Print & Sign

CO2 J.
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-10-11-05	MSF Control	880/12	0002080556	Mask Scratched
11-11-05	MSF Control	12	0002080556	Mask Scratched

Inspected By: CO3. M. Appleby
 Incoming Officer-Print & Sign

CO2 J.
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-11-12-05	MSF Control	20	9912170037	Mask Scratched
11-11-12-05	MSF Control	20	9912170037	Mask Scratched

Inspected By: CO2. Brassily Ubedi AW
 Incoming Officer-Print & Sign

CO3. M. Appleby J.
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-11-12-05	MSF Control	12	0002080556	Mask Scratched
11-11-12-05	11	11	11	11

Inspected By: CO2. Brassily Ubedi AW
 Incoming Officer-Print & Sign

CO3. M. Appleby J.
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/11-12/05	MSF Control	20	0002080553	Tank not connected
11	"	11	"	"

Inspected By: COD. Brassily Ubedei
Incoming Officer - Print & Sign

COD. M. Appleby *DRW*
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12/05	MSF Control #3	20	9912170037	Mask Scratched
11/12/05	MSF Control	20	9912170037	"

Inspected By: COD. M. Appleby *DRW*
Incoming Officer - Print & Sign

COD. Brassily Ubedei *DRW*
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12/05	MSF Control #3	12	0002080556	Mask Scratched
11/12/05	MSF Control	12	0002080556	"

Inspected By: COD. M. Appleby *DRW*
Incoming Officer - Print & Sign

COD. Brassily Ubedei *DRW*
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12/05	MSF Control #3	20	0002080553	Tank not connected
11/12/05	MSF Control	20	0002080553	"

Inspected By: COD. M. Appleby *DRW*
Incoming Officer - Print & Sign

COD. Brassily Ubedei *DRW*
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12-13/05	MSF Control	20	9912170037	Mask Scratched
11/13/05	" "	14		

Inspected By: COD. M. Appleby *DRW*
Incoming Officer - Print & Sign

COD. M. Appleby *DRW*
Outgoing Officer - Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12-13/05	MSF Control	20	0002080553	Tank not Connected
11/13/05	" "	"	"	"

Inspected By: CO2 Stanley Ngirecheuge
 Incoming Officer - Print & Sign CO2. M. Applying
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/12-13/05	MSF Control	12	0002080556	Mask Scratches
11/13/05	" "	"	"	"

Inspected By: CO2 Stanley Ngirecheuge
 Incoming Officer - Print & Sign CO2. M. Applying
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/14/05	MSF Control	20	9912170037	Mask scratches
11-14-05	" "	20	9912170037	M. Scratches

Inspected By: CO2 Stanley Ngirecheuge
 Incoming Officer-Print & Sign CO2 Stanley Ngirecheuge
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/14/05	MSF Control	20	0002080553	Mask scratches
11-14-05	" "	20	0002080553	M. Scratches

Inspected By: CO2 Stanley Ngirecheuge
 Incoming Officer-Print & Sign CO2 Stanley Ngirecheuge
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/14/05	MSF Control	12	0002080556	Mask scratches
11-14-05	" "	12	0002080556	M. Scratches

Inspected By: CO2 Stanley Ngirecheuge
 Incoming Officer-Print & Sign CO2 Stanley Ngirecheuge
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-14-05	MSF Control	20	9912170037	M. Scratches
11-14-05	MSF "	20	9912170037	M. "

Inspected By: Cpl. Regina V. Paragethian RP
 Incoming Officer - Print & Sign

C02 J
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-14-05	MSF Control	20	0002080553	M. Scratches
11-14-05	MSF CONTROL	20	0002080553	M. "

Inspected By: Cpl. Regina V. Paragethian - RP
 Incoming Officer - Print & Sign

C02 J
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-14-05	MSF Control	12	0002080556	M. Scratches
11-14-05	MSF Control	12	0002080546	M. Scratch

Inspected By: Cpl. Regina V. Paragethian - RP
 Incoming Officer-Print & Sign

C02 J
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-14-15-05	MSF Control	20	9912170037	M. scratch
11-14-15-05	MSF CONTROL	20	0002080553	M. scratch
11-14-15-05	MSF CONTROL	12	0002080556	M. scratch

Inspected By: C02. Braxsily Ubedei BM
 Incoming Officer-Print & Sign

C03. Regina Paragethian
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/15-16/05	MSF Control #	20	9912170037	Mask Scratched
11/15-16/05	MSF Control 3	20	0002080553	Mask Scratched
11/15-16/05	MSF Control	12	0002080556	Mask Scratched

Inspected By: C02 Stanley Narchewage
 Incoming Officer-Print & Sign

C02. Braxsily Ubedei BM
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/16/05	MSF Control	20	9912170037	Mask Scratched
11/16/05	" "	20	0002080553	" "
11/16/05	" "	12	0002080556	" "

Inspected By: C02 [Signature]
 Incoming Officer - Print & Sign

C02 Stanley & [Signature]
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-16-05	MSF Control	20	9912170037	M. Scratched
" "	" "	20	0002080553	" "
11-16-05	MSF Control	12	0002080556	M. Scratched

Inspected By: C03 M. Appleby [Signature]
 Incoming Officer - Print & Sign

C02 [Signature]
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/17/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Tank not connected
"	"	12	0002080556	Mask Scratched

Inspected By: C02 Brassily Ubedin [Signature]
 Incoming Officer - Print & Sign

C03 M. Appleby [Signature]
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/17-18/05	MSF Control #3	20	9912170037	Mask Scratched
"	MSF Control #3	20	0002080553	" "
"	MSF Control #3	12	0002080556	" "

Inspected By: C03 M. Appleby [Signature]
 Incoming Officer - Print & Sign

C02 Brassily Ubedin [Signature]
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/18/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Tank not connected
"	"	12	0002080556	Mask Scratched

Inspected By: C03 Regina V. D'Agostino
 Incoming Officer - Print & Sign

C03 M. Appleby [Signature]
 Outgoing Officer - Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/18-19/05	MSF - CONTROL	20	9912170037	Mask scratch
	MSF - CONTROL	20	0002080553	Mask scratch
	MSF - CONTROL	12	0002080556	Mask scratch

Inspected By: COS Stanley Nairn George Incoming Officer - Print & Sign Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/19/05	MSF Control	20	9912170037	Mask scratch
"	"	20	0002080553	"
"	"	12	0002080556	"

Inspected By: COS M. Appleby Incoming Officer - Print & Sign Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/20/05	MSF Control	20	9912170037	Mask scratch
"	"	20	0002080553	Tank not connect.
"	"	12	0002080556	Mask scratch

Inspected By: COS Reginald V. Pratima Incoming Officer-Print & Sign Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/20-21/05	MSF Control	20	9912170037	Mask scratch
11/20-21/05	MSF CONTROL	20	0002080553	Valve. Not cleaned
11/20-21/05	MSF CONTROL	12	0002080556	Mask scratch

Inspected By: COS J. Incoming Officer-Print & Sign Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-21-05	MSF Control	20	9912170037	M. scratched
" "	" "	20	0002080553	" "
11-21-05	MSF Control	12	0002080556	M. scratched

Inspected By: COS Stanley Nairn George Incoming Officer-Print & Sign Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/21/05	MSF-3275#3	20	9912170037	Mask Scratched
"	"	20	0002000553	" "
"	"	12	0002080556	" "

Inspected By: C03. Brassily Ubudiu AM
 Incoming Officer - Print & Sign

C03. Brassily Ubudiu AM
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/22/05	MSF Control #3	20	9912170037	Mask Scratched
"	MSF Control #3	20	0002000553	" "
"	"	12	0002080556	" "

Inspected By: C03. m. Appelby AM
 Incoming Officer - Print & Sign

C03. Brassily Ubudiu AM
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/22-23/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Tank nut corrupt.
"	"	12	0002080556	Mask Scratched

Inspected By: C02
 Incoming Officer-Print & Sign

C03. m. Appelby AM
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-23-05	MSF Control	20	9912170037	Mask Scratched
" .. "	" "	20	0002000553	" "
11-23-05	MSF Control	12	0002080556	El. Scratched

Inspected By:
 Incoming Officer-Print & Sign

C02
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/23-24/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	"
"	"	12	0002080556	"

Inspected By: C03. Brassily Ubudiu AM
 Incoming Officer-Print & Sign

C03. m. Appelby AM
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/24/05	MSF Control #3	20	991270037	Mask Scratched
"	"	20	0002080553	" "
"	"	12	0002080556	" "

Inspected By: COT III M. Appleby
 Incoming Officer - Print & Sign

COT II Brassily Ubedei
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/24-25/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	"
"	"	20	0002080556	"

Inspected By: COT III R.V. Pritchard
 Incoming Officer - Print & Sign

COT III M. Appleby
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/24-25/05	MSF CONTROL	20	9912170037	Mask Scratches
11/24-25/05	MSF CONTROL	20	0002080553	Valve Not Connected, Two
11/24-25/05	MSF CONTROL	12	0002080556	Mask Scratches

Inspected By: COT III Melissa Appleby
 Incoming Officer-Print & Sign

COT III R.V. Pritchard
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/25-26/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not connected
"	"	12	0002080556	Mask Scratched

Inspected By: COT III Stanley Ngachengel
 Incoming Officer-Print & Sign

COT III M. Appleby
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/26/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not connected
"	"	12	0002080556	Mask Scratches

Inspected By: COT III Stanley Ngachengel
 Incoming Officer-Print & Sign

COT III Stanley Ngachengel
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/26-27/05	MSF Control	20	9912170037	Mask Scratched
" "	" "	20	0002080553	Valve not connected
" "	" "	12	0002080556	Mask Scratched

Inspected By: COT. Regim V. Pangilinan Incoming Officer - Print & Sign

COT. M. Appleby Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/26-27/05	MSF CONTROL	20	9912170037	Mask Scratched
11/26-27/05	MSF CONTROL	20	0002080553	Valve NOT Connected
11/26-27/05	MSF CONTROL	12	0002080556	Mask Scratched

Inspected By: COT. M. Appleby Incoming Officer - Print & Sign

COT. Regim V. Pangilinan Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/27-28/05	MSF Control	20	9912170037	Mask Scratched
" "	" "	20	0002080553	Valve not Connected
" "	" "	12	0002080556	

Inspected By: COT. Stanley Maircheangel Incoming Officer-Print & Sign

COT. M. Appleby Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/28/05	MSF Control	20	9912170037	Mask Scratched
" "	" "	12	0002080553	Mask Scratched
" "	" "	20	0002080556	Valve not Connected

Inspected By: COT. M. Appleby Incoming Officer-Print & Sign

COT. Stanley Maircheangel Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11-28-05	MSF Control	20	9912170037	M. Scratched
" " "	" "	20	0002080553	" "
11-28-05	MSF Control	12	0002080556	M. Scratched

Inspected By: COT. M. Appleby Incoming Officer-Print & Sign

COT. M. Appleby Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/29/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not Connected
"	"	12	0002080556	Mask Scratched

Inspected By: Cob. Brassily Ubudu
 Incoming Officer - Print & Sign

Cob. m. Appleby DMG
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/29-30/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	" "
"	"	12	0002080556	" "

Inspected By: Cob. m. Appleby DMG
 Incoming Officer - Print & Sign

Cob. Brassily Ubudu DMG
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/30/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not Connected
"	"	12	0002080556	Mask Scratched

Inspected By: Cob. Regina V. Bergman DMG
 Incoming Officer-Print & Sign

Cob. m. Appleby DMG
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
11/30/05	MSF CONTROL	20	9912170037	Mask Scratched
11/30/05	MSF Control	20	0002080553	Valve not connected
11/30/05	MSF Control	12	0002080556	Mask scratch

Inspected By: Cob. M. Appleby DMG
 Incoming Officer-Print & Sign

Cob. Regina V. Bergman DMG
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/01/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not Connected
"	"	12	0002080556	Mask Scratched

Inspected By: Cob. M. Appleby DMG
 Incoming Officer-Print & Sign

Cob. m. Appleby DMG
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/01/05	MSF Control	20	9912170037	mask scratched
"	"	20	0002080553	valve not connected
"	"	12	0002080556	mask scratched

Inspected By: COTM M. Appleby
Incoming Officer - Print & Sign

COTM Stanley K. Gallo
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/02/05	MSF Control	20	9912170037	mask Scratched
" "	" "	20	0002080553	Valve not Connected
" "	" "	12	0002080556	Mask Scratched

Inspected By: _____
Incoming Officer - Print & Sign

COTM M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12-02-03-05	MSF Control	20	9912170037	Mask Scratches
" " " "	" "	20	0002080553	Valve not Connected
12-02-03-05	MSF Control	17	0002080556	Mask Scratches

Inspected By: COTM Brassilby Ubedi
Incoming Officer-Print & Sign

COTM Brassilby Ubedi
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/04/05	MSF Control #3	20	9912170037	Mask Scratched
"	"	20	0002080553	" "
"	"	12	0002080556	" "

Inspected By: COTM M. Appleby
Incoming Officer-Print & Sign

COTM Brassilby Ubedi
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/04-05/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not Connected
"	"	12	0002080556	Mask Scratched

Inspected By: _____
Incoming Officer-Print & Sign

COTM M. Appleby
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/06-07/05	MSF Control	20	9912170037	Mask Scratched
" "	" "	20	0002080553	Valve not Connected
" "	" "	12	0002080556	Mask Scratched

Inspected By: COS. Regina V. Domingo
 Incoming Officer - Print & Sign

COS. M. Apulay
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12.06.07.2005	MSF: CONTROL	20	9912170037	MASK SCRATCH
	MSF: CONTROL	20	0002080553	VALVE NOT CONNECTED
	MSF: CONTROL	12	0002080556	MASK SCRATCH

Inspected By:
 Incoming Officer - Print & Sign

COS. J. S. Santos
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/06.07/05	MSF: CONTROL	20	9912170037	MASIC SCRATCH
12.08.05	MSF: CONTROL	20	0002080553	VALUE NOT CONNECTED
	MSF: CONTROL	12	0002080556	MASK SCRATCH

Inspected By COS. J. S. Santos
 Incoming Officer-Print & Sign

COS. J. S. Santos
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12.08.05	MSF Control	20	9912170037	M. Scratches
" "	" "	20	0002080553	Valve Not Connected
12.08.05	MSF Control	12	0002080556	M. Scratches

Inspected By:
 Incoming Officer-Print & Sign

COS. J. S. Santos
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12.10.05	MSF Control	20	9912170037	M. Scratches
" "	" "	20	0002080553	Valve Not Connected
12.10.05	MSF Control	12	0002080556	M. Scratches

Inspected By: COS. M. Apulay
 Incoming Officer-Print & Sign

COS. M. Apulay
 Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/11/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not connected.
"	"	12	0002080550	Mask Scratched

Inspected By: J. Cohn
 Incoming Officer - Print & Sign

COT III - M. Appleby
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12-11-05	MSF Control	20	9912170037	SCRATCHED mask
"	"	20	0002080553	VALVE NOT CONNECTED
"	"	12	0002080556	SCRATCHED mask

Inspected By: COT III - M. Appleby
 Incoming Officer - Print & Sign

COT III - J. Cohn
 Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/12/05	MSF Control	20	9912170037	Mask Scratched
"	"	20	0002080553	Valve not Connected
"	"	12	0002080550	Mask Scratched

Inspected By: Cos. Regina V. Dominguez
 Incoming Officer-Print & Sign

COT III - M. Appleby
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/12/05	MSF : Control	20	9912170037	Mask scratched
	MSF : CONTROL	20	0002080553	Valve not connected
12/12/05	MSF : CONTROL	12	0002080556	Mask Scratched

Inspected By:
 Incoming Officer-Print & Sign

Cos. Regina V. Dominguez
 Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
12/13/05	MSF CONTROL 3	20	9912170037	MASK SCRATCH
	MSF CONTROL 3	20	0002080553	VALVE NOT CONNECT
	MSF CONTROL 3	12	0002080556	MASK SCRATCH

Inspected By: Joseph Santos
 Incoming Officer-Print & Sign

COT III - M. Appleby
 Outgoing Officer-Print & Sign

Shift: "Charlie"

Time: 0530-1730 hrs.

Date: 12/15/05

CENTRAL MALE DETENTION			MINIMUM SECURITY		
N O	NAME OF PRETRIAL DETAINEES	CELL	NO	NAME	CELL
01	Raul Rocha	S/S	ISO	01 Francisco Demapan	MF-01 A-L MF-01 B-U
02	Hans Ngiraimos	A/T Misd		02 Jose Aldan	MF-02 C-L MF-02 D-U
03	Alexander Cana	A/T	D-1	03 Jeffrey Cabrera	MF-02 E-L MF-02 F-U
04	Manabu Chizuwa	S/S	D-2	04 Ronald Kaipat	MF-03 A-L
05	Marvin Tewid	A/T		05 Oscar Meeyog	MF-03 B-U
				06 Eugene Repeki	
				07 Chun Shan Xu	
06	Gerald Sablan	ISOLATION	A/T	08 Pedro Omar	MF-04 E-L
			D-3	09 Hadley Renguil	MF-04 F-U
				10 Taurus Kapwich	MF-05 A-L MF-05 B-U
				11 Dickson Cosmes	
07	James Ordellano	A/T	D-4	12 Melvin Dela Cruz	
08	Davis Diaz	A/T		13 Reynaldo Manila	MF-06 E-L
09	Mino Pnillip	A/T	D-5	14 Rodolfo Michelena	MF-07 A-L
10	Jimmy Blancia	A/T		15 Hernest Otis	MF-07 B-U
			D-6	16 Ramon Blas	
				17 Pedro Demapan	
11	Michael Peter	A/T		18 Dominic Hideo	MF-08 E-L
12	Antonio Bernardo	A/T	D-7	19 Luis Babauta	MF-08 F-U
13	Mike Daikichy	S/S Misd		20 Gabriel Grothog	MF-09 A-L MF-09 B-U
14	Francisco A. Pua	A/T		21 Santiago Cepeda	
			D-8	22 Oscar Babauta	MF-10 E-L
15	Nixon Hartman	A/T		23 Manuel Pangelinan	MF-10 F-U
16	Marco Fitial	A/T		24 Jesus N. Dowai	MF-11 A-L MF-11 B-U
17	George Chomoky	A/T	D-9	25 Mark Torres	
18	Vincent Camacho	A/T		26 Edgar Mendoza	
				28 Jose Borja	MF-12 E-L
			D-10	27 Vicent Norita	MF-12 F-U
19	Aimiji Yoshio	A/T		29 Anthony Magofna	MF-13 A-L MF-13 B-U
20	Roger Castillo	A/T Misd		30 David Diaz	
			D-11	31 David Moses	MF-14 E-L
21	Xiao Jun Dai	FED		32 Frankie Basa	A/T MF-14 F-U
22	Zhou Xu	S/S		33 Joselito Castro	MF-15 A-L
			D-12	34 Michael Tesfour	MF-15 B-U
23	Collier Ng. Siksei	A/T		35 Alfred Aldan	
24	Qi Huan Li	A/T		36 Carlo Malazarte	
			D-13	37 Edwin Ponce	MF-16 E-L
25	Franklin Cepeda	S/S		38 Nestor Dela Cruz	MF-16 F-U
26	Daniel R. Johnny	A/T Misd		39 Price Shoiter	MF-17 A-L
				40 Brett Halstead	Civil A/T MF-17 B-U
				41 Isman Bokuku	
				42 Isaac Rengiil	MF-18 E-L
01	Carl Cabrera	FED		43 Francisco Tydigco	MF-18 F-U
02	Yi Gen	INO			
03	Wang Zhen Xu	INO			
04	Wen Ye He	INO			
05	Hang Wei	INO			
06	Rui Ming Xiao	INO			
07	Yao Qi Liu	INO			
08	Fu Yi Huang	INO			
09	Nan Sheng Cai	INO			
10	Yong Hua Li	INO			
11	Nupom Nupom	INO			

INMATE / DETAINEE CELL ASSIGNMENT

Case 1:99-cv-00017 Document 24-6 Filed 01/03/2006 Page 15 of 19

Shift: “Charlie”

Time: 0530-1730 hrs.

Date:12/15/05

Supervisor: COIII Lee Camacho

Date: 12/15/05

Shift: “Charlie”

Time: 0530-1730 hrs.

Date:12/01/05

Supervisor: COIII Lee Camacho

Date: 12/01/05

Shift: “Charlie”

Time: 0530-1730 hrs.

Date: 12/01/05

Shift: “Charlie”

Time: 0530-1730 hrs.

Date:12/01/05

Page 18 of 19

Supervisor: COIII Lee Camacho

Date: 12/01/05

DEPARTMENT OF CORRECTIONS

INMATE / DETAINEE CELL ASSIGNMENT Case 1:99-cv-00017 Document 24-6 Filed 01/03/2006 Page 19 of 19

Shift: “Bravo”

Time: 0530-1730 hrs.

Date: 11/15/05

Supervisor: Sgt. Pius Yaroitemal

Date: 11/15/05